



Cronfa - Swansea University Open Access Repository

This is an author produced version of a paper published in :	
Journal of Adolescent Health	
Cronfa URL for this paper:	
http://cronfa.swan.ac.uk/Record/cronfa31637	

Donoghue, K., Rose, H., Boniface, S., Deluca, P., Coulton, S., Alam, M., Gilvarry, E., Kaner, E., Lynch, E., Maconochie, I., McArdle, P., McGovern, R., Newbury-Birch, D., Patton, R., Phillips, C., Phillips, T., Russell, I., Strang, J. & Drummond, C. (2017). Alcohol Consumption, Early-Onset Drinking, and Health-Related Consequences in Adolescents Presenting at Emergency Departments in England. Journal of Adolescent Health http://dx.doi.org/10.1016/j.jadohealth.2016.11.017

This article is brought to you by Swansea University. Any person downloading material is agreeing to abide by the terms of the repository licence. Authors are personally responsible for adhering to publisher restrictions or conditions. When uploading content they are required to comply with their publisher agreement and the SHERPA ROMEO database to judge whether or not it is copyright safe to add this version of the paper to this repository. http://www.swansea.ac.uk/iss/researchsupport/cronfa-support/

Online Supplementary Figure 1: flow of research questions

- 1. Demographics
- 2. Health and Lifestyle questionnaire
- 3. Filter question 1 Have you ever drunk alcohol, do not include just a sip of somebody else's
- 4. Filter question 2 Have you ever drunk alcohol, do not include just a sip of somebody else's drink, in the past **3 months**?
- 5. Have you had a drink of alcohol in the past 24 hours?
- 6. Alcohol consumed prior to attendance
- 7. How old were you when you had your first sip of alcohol (beer, cider, alcopops, wine etc)?
- 8. ESPADQ19 (alcohol intoxication)
- 9. TLFB90^{1,3}
- 10. BSQF^{1,3}
- 11. AUDIT^{2,3}
- 12. MINIKIDS Alcohol^{2,3}
- 13. ESPAD Q21
- 14. ESPAD Q22
- 15. SDQ
- 16. KIDSCREEN
- 17. Service Utilisation
- 18. Cognitive Debrief
- 19. Future participation details

¹The order of presentation of quantity-frequency measures (TLFB and BSQF) were at random stratified by age-group.

² The order of presentation of diagnostic measures (AUDIT and MINIKIDS) were allocated at random stratified by age-group.

³ The order of presentation of quantity-frequency measures and diagnostic measures were allocated at random stratified by age-group.

